

Analysis of the morphology of polymer blends using ultrasound

Attachment B
Debasis
-6 pages

IoP | electronic journals

Journal of Physics D: Applied Physics

[Quick guide](#) [Site map](#)

 Login: Password:
[Create account](#) [Alerts](#) [Contact us](#)
[Journals Home](#) | [Journals List](#) | [EJs Extra](#) | [This Journal](#) | [Search](#) | [Authors](#) | [Referees](#) | [Librarians](#) | [User Options](#) | [Help](#)
[Previous article](#) | [Next article](#) | [This volume](#) | [This issue](#) | [Article options & Content finder](#)

Claude Verdier and Monique Piau 1996 *J. Phys. D: Appl. Phys.* 29
 1454-1461

Analysis of the morphology of polymer blends using ultrasound

Claude Verdier and Monique Piau

Laboratoire de Rhéologie, Université de Grenoble (UJF-INPG), BP 53, Domaine
 Universitaire 38041 Grenoble Cedex 09, France

Received 5 February 1996

Print publication: Issue 6 (14 June 1996)

Abstract. Over recent years there has been great efforts towards the understanding of the rheology of immiscible polymer blends. It is now well accepted that their morphology, especially the concentration of the inclusions, their size, and their radii distribution, is a very important factor which controls their mechanical properties. The type of blend considered in this study is a polyamide/polypropylene system, in which the matrix is the polyamide (PA6) with inclusions of polypropylene (PP). Different concentrations have been used, as well as different surfactants. These blends give then rise to different acoustic properties, which have been characterized by measuring velocities of propagation and attenuation of ultrasonic waves during flow through a capillary rheometer. A wave propagation theory for viscoelastic emulsions was used to predict the values of the ultrasonic parameters as functions of the concentration, the radii distribution and the frequency when the thermophysical properties of the blend are known. We can therefore deduce the concentration and average size of inclusions, and then return to the morphology of the blends. Comparison with microscopic photographs seems to correlate well with our predictions. This method appears promising and could be used to differentiate between different blends during flow.

doi:10.1088/0022-3727/29/6A007

URL: <http://stacks.iop.org/0022-3727/29/1454>

Full text
 PDF (289 KB)

References

Article options
[E-mail abstract](#)
[Download to citation manager](#)
[Link to this article](#)
[Information about Filing Cabinet](#)

Find related articles

By author

Claude Verdier ☒

☒ IOP

☐ CrossRef

Search

Search highlighted text [\(Help\)](#)

Recommend

[Recommend this article](#)
[Recommend this journal](#)

Authors & Referees

[Submit an article](#)
[Track your article](#)
[Referees](#)

Reasons to login

[Set up an E-mail alert](#)
[Use your Filing Cabinet](#)
[Login](#)



This Month's
 Papers

Free for 30 days

Best Available Copy

Analysis of the morphology of polymer blends using ultrasound

Page 2 of 6

▼ search results
▼ clustering
Organize your search results

STACKS™

Link to IOP journals

◀ Previous article | Next article ▶ | This volume ▲ | This issue ▲

CONTENT FINDER

Journal of Physics D: Applied Physics

[Full Search](#)[Help](#)Author: Vol/Year: Issue/Month: Page/Article No:

[Journals Home](#) | [Journals List](#) | [EJs Extra](#) | [This Journal](#) | [Search](#) | [Authors](#) | [References](#) | [Librarians](#) | [User Options](#) | [Help](#) | [Recommend this journal](#)

Setup information is available for [Adobe Acrobat](#).

EndNote, ProCite and Reference Manager are registered trademarks of ISI Researchsoft.

Copyright © Institute of Physics and IOP Publishing Limited 2004.

Use of this service is subject to compliance with the terms and conditions of use. In particular, reselling and systematic downloading of files is prohibited.

Help: [Cookies](#) | [Data Protection](#).

POLY 129 - Influence of ionomeric compatibilizers on the morphology and properties of ... Page **3** of **6**

Influence of ionomeric compatibilizers on the morphology and properties of amorphous polyester/polyamide blends

POLY 129

Gregory C. Gemeinhardt, Ashley A. Moore, and Robert B. Moore. Department of Polymer Science, University of Southern Mississippi, Box 10076, Hattiesburg, MS 39400

The utilization of sulfonated polyester ionomers as minor component compatibilizers in blends of an amorphous polyester and polyamide was investigated. The blends were prepared using twin-screw extrusion and compared to solution blends to investigate the effect of elevated temperatures and shear mixing on blend miscibility and/or phase behavior. The thermal and mechanical properties of the blends were investigated using dynamic mechanical analysis (DMA) and tensile testing while the phase domain sizes of the solution blends were studied using small angle light scattering (SALS) and phase contrast optical microscopy. Binary blends of the amorphous polyester and polyamide were immiscible with poor mechanical properties, while blends containing the polyester/polyamide ionomer as a minor component compatibilizer showed a significant reduction in the dispersed domain sizes.

General Papers

6:00 PM-8:00 PM, Sunday, March 23, 2003 Convention Center -- Hall G, Poster

Division of Polymer Chemistry

The 225th ACS National Meeting, New Orleans, LA, March 23-27, 2003

[My Profile](#)



[HOME](#)
[ABOUT US](#)
[CONTACT US](#)
[HELP](#)

Home / [Polymers and Materials Science](#) / [Polymers and Materials Science \(general\)](#)

**Polymer International**

Volume 49, Issue 8, Pages 860 - 866

Published Online: 21 Jul 2000

Copyright © 2000 Society of Chemical Industry

[Save Title to My Profile](#)[Set E-Mail Alert](#)


Go to the homepage for this journal to access trials, sample copies, editorial and author information, news, and more.

[e-mail](#) [print](#)[SEARCH](#) [All Content](#)[Publication Title](#)[Advanced Search](#)[CrossRef / Google Search](#)[Acronym Finder](#)[SEARCH IN THIS TITLE](#)

Polymer International

[All Fields](#)[SEARCH BY CITATION](#)

Vol: Issue: Page:

 [ALSO OF INTEREST](#)[Think Macro!](#)[Six journals—Complete Coverage](#)[Macromolecular...](#)[Rapid Communications](#)[Chemistry and Physics](#)[Theory and Simulations](#)[Macromolecular...](#)[Bioscience](#)[Symposia](#)[Materials & Engineering](#)[SIGN UP NOW](#)Trial access
available u
Dec 31, 200[Save Article to My Profile](#)[Previous Abstract](#) | [Next Abstract](#)[Abstract](#) | [References](#) | [Full Text: HTML, PDF \(478k\)](#) | [Related Articles](#)**Research Article****Synthesis and properties of reactively compatibilized polyester and polyamide blends**

Jacob John, Mrinal Bhattacharya*

Department of Biosystems and Agricultural Engineering, University of Minnesota, St. Paul, MN 55108, USA

*Correspondence to: Mrinal Bhattacharya, Department of Biosystems and Agricultural Engineering, University of Minnesota, St Paul, MN 55108, USA

Keywords

poly(butylene terephthalate); maleic anhydride grafting; blends of PBT and PA66

Abstract

The functionalization of poly(butylene terephthalate) (PBT) has been accomplished in a twin screw extruder by grafting maleic anhydride (MA) using a free radical polymerization technique. The resulting PBT-g-MA was successfully used as a compatibilizer for the binary blends of polyester (PBT) and polyamide (PA66). Enhanced mechanical properties were achieved for the blend containing a small amount (as low as 2.5 %) of PBT-g-MA compared to the binary blend of unmodified PBT with PA66. Loss and storage moduli for blends containing compatibilizer were higher than those of uncompatibilized blends or their respective polymers. The grafting and compatibilization reactions were confirmed using FTIR and ^{13}C NMR spectroscopy. The properties of these blends were studied in detail by varying the amount of compatibilizer, and the improved mechanical behaviour was correlated with the morphology with the help of scanning electron microscopy. Morphology studies also revealed the interfacial interaction in the blend containing grafted PBT. The improvement in the properties of these blends can be attributed to the effective interaction of grafted maleic anhydride groups with the amino group in PA66. The results indicate that PBT-g-MA acts as an effective compatibilizer for the immiscible blends of PBT and PA66.

© 2000 Society of Chemical Industry

Received: 7 January 2000; Revised: 22 February 2000; Accepted: 17 March 2000

Digital Object Identifier (DOI)

10.1002/1097-0126(200008)49:8<860::AID-PI467>3.0.CO;2-H About DOI

Related Articles

- Find other [articles](#) like this in Wiley InterScience

Wiley InterScience: Journal: Abstract

Page 5 of 6

- Find articles in Wiley InterScience written by any of the authors


Wiley InterScience is a member of CrossRef.



FREE trial access is now available for the new journal **Plasma Processes and Polymers**.

[Sign up now](#)

NOW AVAILABLE



Polymer Engineering & Science



Polymer Composites



Journal of Vinyl Additive Technology

Now published on behalf of
Society of Plastics Engineers

LATEST NEWS & INFORMATION



Macromolecules in Bioscience

Impact Factor increased to

2.439 *

Putting the journal again
the top ten of publication
the field of polymer science

* ISI Journal Citation Report 2004

[Go to journal](#)

LATEST NEWS & INFORMATION



Macromolecules in Rapid Communication

Impact Factor increased to


3.236 *

Still ranking second in the
Impact Factor list of journals
publishing original research

* ISI Journal Citation Report 2004

[Go to journal](#)

NOW AVAILABLE



Pay-Per-View

Access full-text content with a subscription. Now available for:

- Journals
- OnlineBooks
- and Reference Works

[Find out more](#)

TOP BOOKS

August 2004

- [Computational Materials Science](#)
- [A Textbook of Modern Toxicology \(Third Edition\)](#)
- [Handbook of Advanced Materials](#)
- [Surfactants and Polymers in Aqueous Solution \(Second Edition\)](#)
- [Crystal Growth Technology](#)

[About Wiley InterScience](#) | [About Wiley](#) | [Privacy](#) | [Terms & Conditions](#)

Copyright © 1999-2004 John Wiley & Sons, Inc. All Rights Reserved.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.